


Brass Fillister head screws

Brass Fillister Head Screws



| Screw Threads | Long L | Head Diameter D | Head Height H | Slot Width W | Slot Depth C |
|---------------|--------|-----------------|---------------|--------------|--------------|
| 2-56 | 1/8 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 3/16 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 1/4 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 9/32 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 5/16 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 3/8 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 7/16 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 1/2 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 9/16 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 5/8 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 3/4 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 2-56 | 1 | .124 - .155 | .053 - .090 | .015 - .045 | .015 - .045 |
| 4-40 | 1/8 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 9/64 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 3/16 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 1/4 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 9/32 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 5/16 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 3/8 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 7/16 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 1/2 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 9/16 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 5/8 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |

| | | | | | |
|-------|-------|-------------|-------------|-------------|-------------|
| 4-40 | 11/16 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 3/4 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 7/8 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 1 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 1-1/8 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 4-40 | 1-1/4 | .165 - .195 | .085 - .115 | .020 - .050 | .025 - .055 |
| 6-32 | 3/32 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 1/8 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 3/16 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 1/4 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 5/16 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 3/8 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 7/16 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 1/2 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 5/8 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 11/16 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 3/4 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 1 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 1-1/8 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 1-1/4 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 1-1/2 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-32 | 1-3/4 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 6-40 | 3/8 | .200 - .230 | .110 - .140 | .030 - .060 | .035 - .065 |
| 8-32 | 1/8 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 3/16 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 1/4 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 5/16 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 3/8 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 7/16 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 1/2 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 5/8 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 3/4 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 7/8 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 1 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 1-1/8 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 1-1/4 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 1-3/8 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 1-1/2 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 1-3/4 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 8-32 | 2 | .240 - .270 | .133 - .165 | .035 - .065 | .045 - .075 |
| 10-24 | 1/8 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 3/16 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 1/4 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |

| | | | | | |
|--------|-------|-------------|-------------|-------------|-------------|
| 10-24 | 5/16 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 3/8 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 1/2 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 5/8 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 3/4 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 1 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 1-1/4 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-24 | 1-1/2 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 1/8 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 3/16 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 1/4 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 5/16 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 3/8 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 1/2 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 5/8 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 3/4 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 7/8 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 1 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 1-1/4 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 1-1/2 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 10-32 | 2 | .285 - .315 | .156 - .190 | .040 - .070 | .055 - .085 |
| 1/4-20 | 1/4 | .385 - .415 | .207 - .245 | .055 - .085 | .075 - .105 |
| 1/4-20 | 5/16 | .385 - .415 | .207 - .245 | .055 - .085 | .075 - .105 |
| 1/4-20 | 3/8 | .385 - .415 | .207 - .245 | .055 - .085 | .075 - .105 |
| 1/4-20 | 1/2 | .385 - .415 | .207 - .245 | .055 - .085 | .075 - .105 |
| 1/4-20 | 5/8 | .385 - .415 | .207 - .245 | .055 - .085 | .075 - .105 |
| 1/4-20 | 3/4 | .385 - .415 | .207 - .245 | .055 - .085 | .075 - .105 |

BRASS FILLISTER HEAD MACHINE SCREWS:

We are manufacturers and suppliers of all kinds of cold forged Brass fillister head machine screws slotted fillister head screw from India. We can also offer Stainless Steel fillister head screws.

Sizes: 2-56 , 4-40 , 6-32 , 8- 32 , 10 -24 ,10 -32 , 1/4- 20 UNC threads UNF threads.

ADDEESS:

Conex Brass Screws Fasteners

Plot 10 B GIDC IND Estate Jamnagar 361004 INDIA

CONTACTS:

PHONE : 91-22-43449300 / 43449327

FAX : 91-22-22834046 / 40023682

EMAIL : sales@conexscrews.com

[CONTACT US](#) | [BACK TO HOME PAGE](#)

KEYWORDS:

Brass fillister head screws, slotted fillister head screws, Brass machine screws fillister head, Indian manufacturers cold forged screws,