


Brass Fillister head screws

Brass Fillister Head Screws



Screw Threads	Long L	Head Diameter D	Head Height H	Slot Width W	Slot Depth C
2-56	1/8	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	3/16	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	1/4	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	9/32	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	5/16	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	3/8	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	7/16	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	1/2	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	9/16	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	5/8	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	3/4	.124 - .155	.053 - .090	.015 - .045	.015 - .045
2-56	1	.124 - .155	.053 - .090	.015 - .045	.015 - .045
4-40	1/8	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	9/64	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	3/16	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	1/4	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	9/32	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	5/16	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	3/8	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	7/16	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	1/2	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	9/16	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	5/8	.165 - .195	.085 - .115	.020 - .050	.025 - .055

4-40	11/16	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	3/4	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	7/8	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	1	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	1-1/8	.165 - .195	.085 - .115	.020 - .050	.025 - .055
4-40	1-1/4	.165 - .195	.085 - .115	.020 - .050	.025 - .055
6-32	3/32	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	1/8	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	3/16	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	1/4	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	5/16	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	3/8	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	7/16	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	1/2	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	5/8	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	11/16	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	3/4	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	1	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	1-1/8	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	1-1/4	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	1-1/2	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-32	1-3/4	.200 - .230	.110 - .140	.030 - .060	.035 - .065
6-40	3/8	.200 - .230	.110 - .140	.030 - .060	.035 - .065
8-32	1/8	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	3/16	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	1/4	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	5/16	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	3/8	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	7/16	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	1/2	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	5/8	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	3/4	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	7/8	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	1	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	1-1/8	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	1-1/4	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	1-3/8	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	1-1/2	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	1-3/4	.240 - .270	.133 - .165	.035 - .065	.045 - .075
8-32	2	.240 - .270	.133 - .165	.035 - .065	.045 - .075
10-24	1/8	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	3/16	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	1/4	.285 - .315	.156 - .190	.040 - .070	.055 - .085

10-24	5/16	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	3/8	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	1/2	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	5/8	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	3/4	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	1	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	1-1/4	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-24	1-1/2	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	1/8	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	3/16	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	1/4	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	5/16	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	3/8	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	1/2	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	5/8	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	3/4	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	7/8	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	1	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	1-1/4	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	1-1/2	.285 - .315	.156 - .190	.040 - .070	.055 - .085
10-32	2	.285 - .315	.156 - .190	.040 - .070	.055 - .085
1/4-20	1/4	.385 - .415	.207 - .245	.055 - .085	.075 - .105
1/4-20	5/16	.385 - .415	.207 - .245	.055 - .085	.075 - .105
1/4-20	3/8	.385 - .415	.207 - .245	.055 - .085	.075 - .105
1/4-20	1/2	.385 - .415	.207 - .245	.055 - .085	.075 - .105
1/4-20	5/8	.385 - .415	.207 - .245	.055 - .085	.075 - .105
1/4-20	3/4	.385 - .415	.207 - .245	.055 - .085	.075 - .105

BRASS FILLISTER HEAD MACHINE SCREWS:

We are manufacturers and suppliers of all kinds of cold forged Brass fillister head machine screws slotted fillister head screw from India. We can also offer Stainless Steel fillister head screws.

Sizes: 2-56 , 4-40 , 6-32 , 8- 32 , 10 -24 ,10 -32 , 1/4- 20 UNC threads UNF threads.

ADDEESS:

Conex Brass Screws Fasteners

Plot 10 B GIDC IND Estate Jamnagar 361004 INDIA

CONTACTS:

PHONE : 91-22-43449300 / 43449327

FAX : 91-22-22834046 / 40023682

EMAIL : sales@conexscrews.com

[CONTACT US](#) | [BACK TO HOME PAGE](#)

KEYWORDS: